



DATE

TOTAL
LENGTH

TAIL
VERTE-
BRAE

HIND
FOOT

REMARKS

Mammal Collection

Republic of Guatemala, C.A.

Charles O. Handley, JR.

732 - 1158

15 Mar. 1947 — 23 May 1947

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | | |
|--------|------|------|---|--|---------------|-----------------|-----------|-----|---------|--|-----------------|
| 275572 | +732 | ♀ | Baiomys musculus | south side, 4200 ft. Guatemala, Dept. Guatemala, Lake Amatitlan | 15 March 1947 | 127 | 55 | 16 | 12 | Thicket, dry oak woodland, marsh steep grassy hillside, corn stubble, | skin + skull |
| 275573 | +733 | ♀ | " | " | " | 116 | 45 | 16 | 12 | " | " |
| 275574 | +734 | ♂ | " | " | " | 116 | 45 | 16 | 13 | " | " |
| 275575 | +735 | ♂ | " | " | " | 118 | 47 | 15 | 12 | " | " |
| 275576 | +736 | ♀ | " | " | " | 123 | 48 | 16 | 12 | " | " |
| 275577 | +737 | ♂ | " | " | " | 110 | 45 | 15 | 12 | " | " |
| 275578 | +738 | ♀ | " | " | " | 131 | 54 | 16 | 12 | " | " |
| 275579 | +739 | ♀ | " | " | " | 124 | 48 | 16 | 12 | " | " |
| 275580 | +740 | ♂ | " | " | " | 114 | 48 | 15 | 13 | " | " |
| 275581 | +741 | ♂ | " | " | " | 122 | 48 | 16 | 13 | " | " |
| 275582 | +742 | ♀ | " | " | " | 113 | 46 | 15 | 13 | " | " |
| 275583 | +743 | ♀ | " | " | " | 128 | 54 | 16 | 12 | " | " |
| 275406 | +744 | ♂ | Reithrodontomys mexicanus orinus | " | " | 170 | 97 | 19 | 18 | Thicket surrounded by grass | skin + skeleton |
| | +745 | ♀ | Sigmodon hispidus Oryzomys couesi | " | " | 244 | 115 | 28 | 19 | tall grass on steep hillside | " |
| 275584 | +746 | ♂ | Baiomys musculus | " | " | 120 | 50 | 16 | 13 | " | skeleton only |
| 275407 | +747 | ♀ | Reithrodontomys mexicanus orinus | " | 16 Mar 1947 | 179 | 98 | 18 | 15 | dry oak woodland | skin + skull |
| 275408 | +748 | ♀ | " " " | " | " | 216 | 126 | 20 | 15 | " | " |
| 275409 | +749 | ♀ | " " " | " | " | 194 | 103 | 19 | 15 | " | " |
| 275672 | +750 | ♂ | Marmosa mexicana | " | " | 270 | 159 | 20 | 24 | " | skin + skeleton |
| 275470 | +751 | ♂ | Peromyscus mexicanus | " | " | 237 | 123 | 28 | 21 | " | skin + skull |
| 275477 | +752 | ♂ | " | " | " | 236 | 124 | 24 | - | " | " |
| | +753 | ♂ | " | " | " | 245 | 132 | 27 | 22 | " | skin + skeleton |
| 275611 | +754 | ♀ | Sigmodon hispidus | " | " | 250 | 110 | 33 | 19 | Marsh at edge of lake | skin + skull |
| 275612 | +755 | ♂ | " | " | " | 208 | 92 | 28 | - | " | " |
| 275613 | +756 | ♂ | " | " | " | 260 | 115 | 30 | 20 | " | " |
| 275614 | +757 | ♂ | " | " | " | 228 | 108 | 29 | 19 | " | " |

| | NO. | SEX | NAME | LOCALITY |
|--------|-------|-----|---|--|
| 275252 | ✓ 758 | ♀ | Liomys ^{pictus} salvini | Guatemala, Lake Amatitlan, south side, 4200 ft. |
| 275253 | ✓ 759 | ♀ | " ^{crispus} | " |
| 275254 | ✓ 760 | ♀ | " ^{pictus} | " |
| 275255 | ✓ 761 | ♀ | " ^{pictus} | " |
| 275256 | ✓ 762 | ♂ | " ^{crispus} | " |
| 275257 | ✓ 763 | ♀ | " | " |
| 275258 | ✓ 764 | ♂ | " | " |
| 275259 | ✓ 765 | ♂ | " | " |
| 275260 | ✓ 766 | ♀ | " | " |
| 275261 | ✓ 767 | ♀ | " ^{pictus} | " |
| 275262 | ✓ 768 | ♂ | " ^{crispus} | " |
| 275263 | ✓ 769 | ♂ | " ^{pictus} | " |
| | ✓ 770 | ♂ | Peromyscus mexicanus | ^c Esquintla, 1 mi. W. Masagua, Rio Guacalate, 400 ft. |
| 275480 | ✓ 771 | ♀ | " | " |
| 275481 | ✓ 772 | ♂ | " | " |
| | ✓ 773 | ♀ | Nyctomys sumichrasti | " |
| 275264 | ✓ 774 | ♀ | Liomys crispus (?) | " |
| 275265 | ✓ 775 | ♂ | " ^{salvini} | " |
| 275266 | ✓ 776 | ♂ | " ^{salvini} | " |
| 275267 | ✓ 777 | ♂ | " ^{salvini} | " |
| 275268 | ✓ 778 | ♂ | " ^{crispus} | " |
| 275231 | ✓ 779 | ♀ | Heterogeomys hispidus | " |
| 275615 | ✓ 780 | ♂ | Sigmodon hispidus | " |
| 275616 | ✓ 781 | ♀ | " | " |
| 275617 | ✓ 782 | ♂ | " | " |

| DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | EAR | REMARKS |
|-------------|--------------|-----------------|-----------|-----|--|
| 16 Mar 1947 | 234 | 125 | 31 | 15 | dry oak wooded hillside, ^{skin + skull} rocks, logs, etc. |
| " | 210 | 110 | 27 | 14 | " " |
| " | 224 | 115 | 27 | 15 | " " |
| " | 213 | 114 | 28 | 16 | " " |
| " | 238 | 128 | 29 | 15 | " ^{skin + skeleton} |
| " | 228 | 122 | 29 | 15 | " ^{skin + skull} |
| " | 212 | 117 | 27 | 16 | " " |
| " | 236 | 122 | 28 | 14 | " " |
| " | 209 | 114 | 26 | 15 | " " |
| " | 247 | 124 | 30 | - | " " |
| " | 235 | 121 | 30 | 15 | " " |
| " | 245 | 131 | 28 | 15 | " " |
| 20 Mar 1947 | 205 | 100 | 23 | 19 | moist forest (oak, palm, etc) ^{skin only} |
| " | 227 | 111 | 24 | 20 | " ^{skin + skull} |
| " | 229 | 114 | 25 | - | " " |
| " | 230 | 120 | 22 | 16 | " ^{skin + skeleton} |
| " | 212 | 105 | 29 | 14 | " " |
| " | - | - | 27 | 13 | " ^{skin + skull} |
| " | 220 | 110 | 28 | 14 | " " |
| " | 224 | 104 | 28 | - | " " |
| " | 202 | 105 | 26 | 14 | " " |
| " | 290 | 81 | 47 | - | lush rain forest " |
| " | 250 | 110 | 30 | 17 | grass in river bottomland " |
| " | 250 | 105 | 29 | 18 | " " |
| " | 229 | 96 | 28 | 18 | " " |

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | Preparation |
|--------|-----|--|---|--------------|----------------|-----------------|-----------|-----|--|----------------------------|
| 275618 | ♂ | <i>Sigmodon hispidus</i> | Esquintla, 1 mi. W. Masagua Rio Cuncate, 400 ft. | 20 Mar. 1947 | 240 | 85 | 30 | 18 | grass in river bottomland | skin + skull |
| 275619 | ♀ | " | " | " | 247 | 105 | 30 | 18 | " | " |
| 275620 | ♂ | " | " | " | 265 | 118 | 31 | 20 | " | " |
| 275363 | ♂ | <i>Oryzomys fulvescens</i> | Esquintla, Finca Los Arcos | 21 Mar. 1947 | 185 | 105 | 21 | 13 | rain forest | skin + skeleton |
| 275621 | ♂ | <i>Oryzomys</i> <i>Peromyscus hondurensis</i> (?) | " | " | 218 | 106 | 26 | 17 | " | " |
| 275621 | ♀ | <i>Sigmodon hispidus</i> | " | " | 207 | 88 | 28 | 16 | grass at edge of rain forest | skin + skull |
| 275623 | ♀ | " | " | " | 190 | 78 | 27 | 17 | " | skin + skeleton |
| 275623 | ♀ | " | " | " | head + body 85 | - | 25 | 15 | in dense rain forest | skin + skull |
| 275624 | ♂ | " | " | " | 280 | 115 | 31 | 18 | in citronella field | " |
| 275269 | - | <i>Liomys</i> crispus sp. (?) | " | 22 Mar. 1947 | - | - | - | - | in thicket at edge of citronella field back had green sheen - eaten by ants | skull only |
| 275270 | ♂ | <i>Liomys crispus</i> (?) | " | " | head + body 95 | - | 20 | 12 | thicket at edge of citronella field | skin + skull |
| 275271 | ♀ | " | " | " | 205 | 98 | 28 | 14 | " | " |
| 275482 | ♂ | <i>Peromyscus mexicanus</i> | " | " | 230 | 117 | 24 | - | wooded stream bank | " |
| 275483 | ♂ | " | " | " | 222 | 109 | 24 | 20 | " | " |
| 275484 | ♀ | " | " | " | 226 | 109 | 24 | - | " | " |
| 275485 | ♂ | " | " | " | 194 | 94 | 23 | 19 | " | " |
| 275625 | ♀ | <i>Sigmodon hispidus</i> | " | " | 134 | 59 | 21 | 14 | pasture | " |
| 275626 | ♂ | " | " | " | 230 | 98 | 29 | 17 | " | " |
| 275627 | ♀ | " | " | " | 227 | 89 | 27 | 17 | " | " |
| 275627 | ♂ | <i>Odocoileus virginianus</i> ^{nelsoni} | " | " | 1320 | 210 | 455 | 125 | height at shoulder 790 brush land (4 points) | no skull skin + antlers |
| 275627 | ♂ | <i>Urocyon cinereoargenteus</i> | Esquintla, Finca San Victor 615 ft. | " | 900 | 360 | 115 | 60 | pasture [dogs ate skin + skull while they were drying] | skull only |
| 275661 | ♀ | " | Esquintla, Finca Valle Lirios 82 ft. | 23 Mar. 1947 | 890 | 355 | 110 | 65 | gallery forest | skin + skull |
| 275662 | ♂ | " | " | " | 840 | 342 | 115 | 60 | " | " |
| 275670 | ♂ | <i>Odocoileus virginianus</i> ^{nelsoni} | " | 24 Mar. 1947 | 1110 | 190 | 330 | 125 | scrub forest | " |
| 275663 | ♀ | <i>Urocyon cinereoargenteus</i> | " | " | 920 | 390 | 120 | 65 | " (lactating) | " |

| NO. | SEX | NAME | LOCALITY |
|--------|-----|---|---------------------------------------|
| 275678 | ♂ | <i>Didelphis mesamericana</i> | Esquintla, Finca Valle-Lirios, 82 ft. |
| 275272 | ♀ | <i>Liomys crispus</i> (?) | " |
| 275273 | ♂ | " | " |
| 275274 | ♂ | " | " |
| 275275 | ♂ | " | " |
| 275276 | ♂ | " | " |
| 275665 | ♀ | <i>Nasua narica</i> | " |
| 275666 | ♀ | " | " |
| 275277 | ♀ | <i>Liomys crispus</i> | San Jose', Esquintla, 15 f |
| 275278 | ♀ | " | " |
| 275279 | ♀ | " | " |
| 275280 | ♀ | " | " |
| 275410 | ♂ | <i>Reithrodontomys gracilis pacificus</i> | " |
| x821 | ♂ | <i>Peromyscus mexicanus</i> | " |
| x822 | ♂ | <i>Sigmodon hispidus</i> | " |
| 275629 | ♀ | " | " |
| 275659 | ♂ | <i>Sylvilagus gabbi</i> | " |
| 275220 | ♂ | <i>Sciurus variegatorides</i> | " |
| 275673 | ♀ | <i>Marmosa mexicana</i> | " |
| x827 | ♂ | <i>Oryzomys coesi</i> | " |
| x828 | ♀ | " | " |
| 275367 | ♂ | <i>Oryzomys fulvescens</i> | " |
| 275281 | ♀ | <i>Liomys crispus</i> | " |
| 275282 | ♀ | " | " |
| 275630 | ♀ | <i>Sigmodon hispidus</i> | " |
| x832 | ♀ | | |

| DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | Preparation |
|-------------|------------------|-----------------|-----------|-----|---|--------------------------|
| 24 Mar 1947 | 820 | 385 | 63 | 55 | scrub forest | skin+skull |
| 25 Mar 1947 | 219 | 102 | 28 | — | Rain forest at bases of palmeloes | skull only skin+skull |
| " | 219 | 108 | 27 | — | " | skin+skull |
| " | 219 | 108 | 27 | 14 | " | " |
| " | 231 | 114 | 29 | 14 | " | " |
| " | 247 | 128 | 28 | 14 | " | " |
| " | 1200 | 520 | 95 | 37 | jungle | " |
| " | 1115 | 525 | 98 | 34 | " | " |
| 2 Apr 1947 | 204 | 98 | 26 | 14 | sedge and thicket, open | " |
| " | 182 | 92 | 26 | 12 | " | " |
| " | 178 | 88 | 25 | 11 | " 4emb 15mm | " |
| 3 Apr. 1947 | 212 | 106 | 26 | 14 | Relatively damp, dense jungle 4emb 11mm | " |
| " | 163 | 94 | 18 | 14 | " | skin + skeleton |
| " | heads & body 115 | — | 25 | 20 | " | " |
| " | 229 | 97 | 29 | 18 | grass at edge of jungle | " |
| " | 192 | 85 | 25 | 16 | " | skin+skull |
| " | 395 | — | 80 | 51 | road thru jungle - jacklight | " |
| " | 565 | 309 | 68 | 36 | edge of jungle | " |
| 4 Apr 1947 | 280 | 157 | 20 | — | relatively moist, brushy forest | skin + skeleton |
| " | 202 | 109 | 27 | — | " | " |
| " | 170 | 85 | 24 | 15 | " | " |
| " | 184 | 105 | 21 | 14 | " | skin + skull |
| " | 203 | 96 | 27 | 14 | " | " |
| " | 223 | 105 | 27 | 14 | " 5emb X 16mm | " |
| " | 279 | 122 | 30 | 20 | weedy cleared land 2emb X 12mm | " |

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | Preparation |
|--------|-------|---------------------------|--|-------------|--------------|-----------------|-----------|-----|--|-------------------------------|
| 275487 | ♂ 833 | Peromyscus mexicanus | ^C Esquintla San José 15 ft. | 4 Apr 1947 | 208 | 100 | 24 | - | Damp forest 15 ft. | skin + skull |
| 275488 | ♂ 834 | " | " | " | 238 | 112 | 24 | 20 | " | " |
| 275489 | ♀ 835 | " | " | " | 238 | 118 | 24 | 20 | " | " |
| 275490 | ♀ 836 | " | " | 5 Apr 1947 | 241 | 120 | 25 | 21 | " | " |
| 275491 | ♀ 837 | Ototylomys phyllotis | " | " | 302 | 149 | 27 | 27 | under log in damp forest | skin + skeleton |
| 275634 | ♀ 838 | Sigmodon hispidus | " | " | 193 | 84 | 26 | 16 | grass at edge of jungle | skin + skull |
| 275283 | ♀ 839 | Liomys crispus | " | " | 198 | 97 | 26 | 14 | damp forest 15 ft. | " |
| 275368 | ♂ 840 | Oryzomys caesi | " | " | 205 | 114 | 27 | 14 | " | " |
| 275369 | ♂ 841 | " | " | " | 194 | 99 | 25 | 14 | " | " |
| 275370 | ♂ 842 | " | " | 6 Apr. 1947 | 181 | 88 | 25 | 15 | " | " |
| 275371 | ♀ 843 | " | " | " | 217 | 112 | 24 | 17 | " | " |
| 275491 | ♂ 844 | Peromyscus mexicanus | " | " | 237 | 112 | 25 | 21 | " | " |
| 275284 | ♀ 845 | Liomys crispus | " | " | 178 | 85 | 24 | 13 | " | " |
| 275221 | ♀ 846 | Sciurus variegatoides | " | " | 530 | 275 | 64 | 38 | " | " |
| 275222 | ♂ 847 | " | " | " | 515 | 260 | 58 | 33 | " | " |
| 275223 | ♀ 848 | " | " | " | 520 | 265 | 64 | 30 | " | " |
| 275224 | ♀ 849 | " | " | " | 550 | 290 | 65 | 35 | " | " |
| 275372 | ♀ 850 | Oryzomys fulvescens | " | 7 Apr. 1947 | 172 | 97 | 21 | 13 | " | " |
| 275373 | ♀ 851 | Oryzomys colesi | " | " | 250 | 137 | 27 | 16 | " | 4 emb 9 mm skin + skeleton |
| 275374 | ♀ 852 | " ^{gracilis} | " | " | 197 | 98 | 25 | 15 | " | 3 emb 25 mm skin + skull |
| 275411 | ♀ 853 | Reithrodontomys pacificus | " | " | 167 | 87 | 17 | 14 | " | 3 emb 8 mm " |
| 275285 | ♀ 854 | Liomys crispus | " | " | 222 | 108 | 27 | 15 | " | " |
| 275671 | ♂ 855 | Odocoileus virginianus | " | " | - | - | - | - | clearing at edge of airstrip | skull only |
| 275492 | ♂ 856 | Peromyscus mexicanus | Quetzaltenango Finca Helvetia, 3500 ft. | 11 Apr 1947 | 215 | 111 | 25 | 20 | lush second growth forest, damp 3500 ft. | skin + skull |
| 275493 | ♀ 857 | " | " | " | 190 | 90 | 24 | 20 | " | " |

| NO. | SEX | NAME | LOCALITY |
|--------|-----|--|--|
| 275494 | ♂ | <i>Peromyscus mexicanus</i> | Quetzaltenango Finca Helvetia, 3500 ft. |
| 275495 | ♀ | " | " |
| 275469 | ♀ | " | " |
| 1861 | ♂ | " | " |
| 275232 | ♀ | <i>Heteromys goldmani</i> | " |
| 275233 | ♂ | " | " |
| 275234 | ♀ | " | " |
| 275375 | ♀ | <i>Oryzomys fulvescens</i> | " |
| 275376 | ♂ | " | " |
| 275377 | ♂ | " | " |
| 275664 | ♀ | <i>Urocyon cinereoargenteus</i> | " 5000 ft. |
| 275225 | ♂ | <i>Sciurus leopoldi</i> | " 5500 ft. |
| 275412 | ♂ | <i>Reithrodontomys mexicanus howelli</i> | " |
| 871 | ♂ | <i>Oryzomys hyllocetes</i> | " |
| 275379 | ♂ | " | " |
| 275380 | ♀ | " | " |
| 275381 | ♂ | " | " |
| 275382 | ♂ | " | " |
| 275235 | ♀ | <i>Heteromys goldmani</i> | " |
| 275236 | ♀ | " | " |
| 275237 | ♀ | " | " |
| 275238 | ♂ | " | " |
| 275239 | ♂ | " | " |
| 275240 | ♀ | " | " |
| 275241 | ♀ | " | " |

| DATE | TOTAL LENGTH | TAIL VERT-BRAE | HIND FOOT | REMARKS | |
|-------------|-----------------|----------------|-----------|---------|---|
| 11 Apr 1947 | 214 | 103 | 24 | — | 3500 ft. Lush, damp second growth forest |
| " | 190 | 91 | 23 | 20 | " |
| " | 211 | 104 | 23 | 19 | " |
| " | 233 | 109 | 25 | — | " |
| " | 315 | 179 | 40 | 21 | " 2 emb. 30 mm |
| " | 336 | 191 | 38 | 20 | " |
| " | 235 | 125 | 33 | 17 | " |
| " | 188 | 103 | 21 | 13 | " |
| " | 189 | 104 | 21 | 14 | " |
| " | 179 | 98 | 21 | 13 | " |
| " | 840 | 330 | 125 | 60 | in road on brushy ridge - jack light |
| 12 Apr 1947 | 370 | 155 | 54 | 25 | 5500 ft. lush, moist, virgin cloud forest (deciduous) |
| " | 175 | 104 | 18 | 15 | " |
| " | 212 | 116 | 27 | 18 | " |
| " | 190 | 103 | 25 | 16 | " |
| " | 199 | 105 | 25 | 16 | " |
| " | 220 | 118 | 25 | 17 | " |
| " | 194 | 100 | 25 | 16 | " |
| " | 310 | 177 | 36 | 20 | " 2 emb 13 mm |
| " | 305 | 174 | 34 | 20 | " 2 emb 8 mm |
| " | 332 | 198 | 38 | 20 | " 2 emb 18 mm |
| " | head + body 140 | — | 37 | 19 | " |
| " | head + body 135 | — | 35 | 20 | " |
| " | 304 | 162 | 37 | 20 | " |
| " | 236 | 117 | 31 | 18 | " |

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BEAK | HIND FOOT | REMARKS | |
|--------------|-----|---------------------------------|--|--------------|----------------|-----------------|-----------|--|-----------------|
| 275498 ✓ 883 | ♀ | <i>Peromyscus guatemalensis</i> | Quetzaltenango 5500 ft. Finca Helvetia | 12 Apr 1947 | 269 | 139 | 27 23 | lush, moist, virgin deciduous cloud forest | skin + skull |
| 275499 ✓ 884 | ♂ | " | " | " | 271 | 145 | 28 23 | " | " |
| 275500 ✓ 885 | ♀ | " | " | " | 295 | 159 | 28 25 | " | skin + skeleton |
| 275501 ✓ 886 | ♂ | " | " | " | 259 | 135 | 28 24 | " | skin + skull |
| 275502 ✓ 887 | ♂ | " | " | " | 250 | 135 | 28 23 | " | " |
| 275503 ✓ 888 | ♂ | <i>Peromyscus mexicanus</i> | " 3500 ft. | 13 Apr. 1947 | 235 | 119 | 24 21 | lush, damp, second growth forest | " |
| 275242 ✓ 889 | ♀ | <i>Heteromys goldmani</i> | " | " | 266 | 145 | 39 19 | " | " |
| 275383 ✓ 890 | ♂ | <i>Oryzomys fultrescens</i> | " | " | 210 | 108 | 26 16 | " | " |
| 275504 ✓ 891 | ♂ | <i>Peromyscus mexicanus</i> | " | " | 228 | 115 | 25 20 | " | skin + skull |
| 275505 ✓ 892 | ♂ | <i>Peromyscus guatemalensis</i> | " 3500 ft. | 14 Apr. 1947 | 273 | 144 | 28 25 | lush, moist, virgin deciduous cloud forest | skin + skull |
| 275506 ✓ 893 | ♀ | " | " | " | 257 | 138 | 30 24 | " | " |
| 275507 ✓ 894 | ♂ | " | " | " | 264 | 135 | 29 26 | " | " |
| 275243 ✓ 895 | ♀ | <i>Heteromys goldmani</i> | " | " | 228 | 180 | 39 21 | " | " |
| 275244 ✓ 896 | ♀ | <i>Heteromys goldmani</i> | " | " | 310 | 172 | 36 21 | " | " |
| 275245 ✓ 897 | ♀ | " | " | " | 297 | 164 | 36 20 | " | " |
| 275384 ✓ 898 | ♀ | <i>Oryzomys hyllocetes</i> | " | " | 188 | 101 | 25 16 | " | skin + skull |
| 275385 ✓ 899 | ♂ | " | " | " | 187 | 96 | 25 16 | " | " |
| 275386 ✓ 900 | ♀ | " | " | " | 214 | 111 | 25 17 | " | " |
| 275387 ✓ 901 | ♀ | " | " | " | 212 | 110 | 24 17 | " | " |
| 275388 ✓ 902 | ♂ | " | " | " | 197 | 103 | 23 - | " | " |
| 275389 ✓ 903 | ♀ | " | " | " | 215 | 112 | 26 17 | " | " |
| 275390 ✓ 904 | ♂ | " | " | " | head + body 79 | - | 23 15 | " | " |
| 275391 ✓ 905 | ♀ | " | " | " | 170 | 90 | 22 15 | " | " |
| 275392 ✓ 906 | ♂ | " | " | " | head + body 77 | - | 24 16 | " | " |
| 275393 ✓ 907 | ♂ | " | " | " | 171 | 91 | 23 16 | " | " |

| NO. | SEX | NAME | LOCALITY |
|--------------|-----|---|------------------|
| | | | Jutupa 2400 ft. |
| ✓ 908 | - | spilogale angustifrons | Lake Atescatempa |
| 275413 ✓ 909 | ♀ | Reithrodontomys gracilis anthonyi | " |
| 275508 ✓ 910 | ♂ | Peromyscus ^{hondurensis?} mexicanus | " |
| 275327 ✓ 911 | ♀ | Uromys heterothrix | " |
| 275328 ✓ 912 | ♀ | " pictus | " |
| 275329 ✓ 913 | ♂ | " heterothrix | " |
| 275330 ✓ 914 | ♀ | " pictus | " |
| 275331 ✓ 915 | ♀ | " heterothrix | " |
| 275332 ✓ 916 | ♀ | " " | " |
| 275333 ✓ 917 | ♀ | " " | " |
| 275334 ✓ 918 | ♀ | " " | " |
| 275335 ✓ 919 | ♀ | " " | " |
| 275336 ✓ 920 | ♀ | " " | " |
| 275337 ✓ 921 | ♀ | " " | " |
| 275338 ✓ 922 | ♀ | Uromys pictus | " |
| 275339 ✓ 923 | ♀ | Uromys heterothrix | " 2100 ft. |
| 275340 ✓ 924 | ♀ | " | " |
| 275509 ✓ 925 | ♀ | Peromyscus ^{hondurensis(?)} mexicanus | " |
| 275394 ✓ 926 | ♀ | Oryzomys coarctatus | " |
| 275585 ✓ 927 | ♀ | Uromys musculus | " 2300 ft. |
| 275586 ✓ 928 | ♀ | " | " |
| 275587 ✓ 929 | ♂ | " | " |
| 275588 ✓ 930 | ♀ | " | " |
| 275589 ✓ 931 | ♂ | " | " |
| 275590 ✓ 932 | ♀ | " | " |

| DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | EAR | REMARKS | PREP. |
|-------------|------------------|-----------------|-----------|-----|---|------------------------------|
| 18 Apr 1947 | - | - | - | - | lake, 2400 ft. East side of lake dry oak and thorn forest on ridge above | SKIN + STATH SKIN + STATH |
| " | 163 | 87 | 17 | - | " | " |
| " | 211 | 115 | 24 | - | " | " |
| " | head+body 106 | - | 27 | 15 | " | " |
| " | 230 | 125 | 26 | 15 | " | " |
| " | 233 | 118 | 26 | 16 | " | " |
| " | 230 | 121 | 28 | 15 | " | " |
| " | 217 | 114 | 27 | 14 | " | " |
| " | head+body 104 | - | 26 | 15 | " | " |
| " | 245 | 129 | 28 | 15 | " | " |
| " | 225 | 115 | 26 | 15 | " | " |
| " | 210 | 110 | 27 | 15 | " | " |
| " | 177 | 93 | 25 | 12 | " | " |
| " | 139 | 69 | 20 | - | " | " |
| " | 222 | 111 | 26 | 15 | " | " |
| 19 Apr 1947 | 224 | 110 | 26 | 14 | along river in gorge 2.3 mi. N of lake relatively moist grove of large trees | " |
| " | 214 | 111 | 27 | 14 | " | " |
| " | 245 | 124 | 26 | - | " | " |
| " | 264 | 140 | 29 | 16 | " | " |
| 20 Apr 1947 | 113 | 44 | 15 | 13 | on hill at SE corner of lake, 2300 ft. dry thickets + edge of broomsedge field | " |
| " | 112 | 46 | 15 | 12 | " | " |
| " | 114 | 46 | 15 | 13 | " | " |
| " | 120 | 48 | 16 | 12 | " | " |
| " | 114 | 44 | 15 | 12 | " | " |
| " | 114 | 44 | 14 | 12 | " | " |

| U. S. GOVERNMENT PRINTING OFFICE: 194430 | | | | | | | | | | | |
|--|-------|------|---|--------------------------------------|--------------|------------------|-----------|-----|------------|--|--------------|
| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | Preparation | |
| 275591 | ✓ 933 | ♂ | <i>Baromys musculus</i> ^{at} ^{lake} | Jutiapa 1300 ft. Lake Atescatempa | 20 Apr 1947 | 111 | 43 | 15 | 12 | on hill at SE corner of lake 2300 ft. dry thickets & edge of broomsedge field | SKIN + skull |
| 275592 | ✓ 934 | ♂ | " | " | " | 119 | 49 | 15 | 12 | " | " |
| 275593 | ✓ 935 | ♂ | " | " | " | 112 | 42 | 15 | 11 | " | " |
| 275594 | ✓ 936 | ♀ | " | " | " | 118 | 46 | 15 | - | " | " |
| 275414 | ✓ 937 | ♂ | <i>Reithrodontomys fulvescens</i> ^{chiapensis} | " | " | 156 | 99 | 18 | 13 | at edge of broomsedge field, 2300 ft. | " |
| 275510 | ✓ 938 | ♂ | <i>Peromyscus merriami</i> | " | " | 231 | 119 | 24 | 20 | thickets of cactus & thorns | " |
| 275511 | ✓ 939 | ♀ | " | " | " | head+body 112 | - | 25 | - | " | " |
| 275512 | ✓ 940 | ♀ | " | " | " | 230 | 119 | 24 | - | " | " |
| 275513 | ✓ 941 | ♂ | " | " | " | 226 | 116 | 25 | 27(?) (17) | " | " |
| 275514 | ✓ 942 | ♂ | " | " | " | 236 | 126 | 25 | - | " | " |
| 275515 | ✓ 943 | ♀ | " | " | " | 237 | 127 | 25 | - | " | " |
| 275516 | ✓ 944 | ♀ | " | " | " | 238 | 123 | 23 | 19 | " | " |
| 275517 | ✓ 945 | ♀ | " | " | " | 249 | 133 | 25 | - | " | " |
| 275632 | ✓ 946 | ♂ | <i>Sigmodon hispidus</i> | " | " | head+body 140 | - | 29 | 20 | broomsedge field | " |
| 275633 | ✓ 947 | ♀ | " | " | " | 240 | 108 | 31 | 19 | " | " |
| 275634 | ✓ 948 | ♀ | " | " | " | 235 | 110 | 30 | 19 | " | " |
| 275341 | ✓ 949 | ♀ | <i>Liomys heterothrix</i> | " | " | 218 | 110 | 27 | 14 | thickets of cactus & thorns | " |
| 275342 | ✓ 950 | ♂ | " | " | " | 215 | 106 | 27 | 14 | " | " |
| 275343 | ✓ 951 | ♀ | " <i>cactus</i> | " | " | 229 | 116 | 25 | 15 | " | " |
| 275344 | ✓ 952 | ♀ | " <i>heterothrix</i> | " | " | 211 | 105 | 27 | - | " | " |
| 275345 | ✓ 953 | ♂ | " <i>pietue</i> | " | " | 253 | 129 | 28 | 15 | " | " |
| 275346 | ✓ 954 | ♀ | " <i>heterothrix</i> | " | " | head+body 103 | - | 26 | 15 | " | " |
| 275674 | ✓ 955 | ♂ | <i>Metachirops opossum</i> | " | " | 176 | 79 | 19 | 18 | along river in gorge 2.3 mi. N. of lake | " |
| 275675 | ✓ 956 | ♂ | " | " | " | 171 | 75 | 18 | 19 | " | " |
| 275676 | ✓ 957 | ♀ | " | " | " | 620 | 355 | 45 | 40 | " 7 yu. in pouch | " |
| 275677 | ✓ 958 | ♀ | " | " | " | 645 | 350 | 45 | 39 | " 5 yu. " | " |

| NO. | SEX | NAME | LOCALITY |
|--------|-----|--|--|
| 275415 | ♀ | <i>Reithrodontomys australis</i> | Quiché 7,200 ft. San Pedro Jocopilas (3.2 mi. N.) |
| 275416 | ♀ | " <i>s. dorsalis</i> | " |
| 275417 | ♀ | " " | " |
| 275418 | ♂ | " " | " |
| 275419 | ♀ | " " | " |
| 275420 | ♀ | " " | " |
| 275421 | ♂ | " " | " |
| 275518 | ♀ | <i>Peromyscus boylii</i> | " |
| 275519 | ♂ | " | " |
| 275520 | ♀ | " | " |
| 275521 | ♂ | " | " |
| 275522 | ♀ | " | " |
| 275523 | ♂ | " | " |
| 275524 | ♂ | " | " |
| 275525 | ♂ | " | " |
| 275526 | ♂ | " | " |
| 275527 | ♀ | " | " |
| 275422 | ♂ | <i>Reithrodontomys fulvescens</i> ^{Chiapensis} Quiché | 4300 ft. Sacapulas (6.9 mi. W - Rio Bla) |
| 275423 | ♂ | " " | " |
| 275424 | ♂ | " " | " |
| 275426 | ♂ | " " | " |
| 275427 | ♀ | " " | " |
| 275635 | ♂ | <i>Sigmodon hispidus</i> | " |
| 275595 | ♀ | <i>Blomys musculus</i> | " |
| 275596 | ♂ | " | " |

| DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | Preparation |
|--------------|------------------|-----------------|-----------|-----|--|-----------------|
| 23 Apr 1947 | 146 | 83 | 18 | 16 | semi-open oak + pine scrub + grass | skin + skull |
| " | 139 | 77 | 17 | 15 | " | " |
| " | 170 | 93 | 19 | 15 | " | skin + skeleton |
| " | 167 | 91 | 19 | 17 | " | skin + skull |
| " | 140 | 79 | 17 | 15 | " | " |
| " | 148 | 82 | 18 | 15 | " | " |
| " | 143 | 76 | 17 | 15 | " | " |
| " | 176 | 86 | 22 | 21 | stone ridge in oak + pine scrub | " |
| " | 176 | 85 | 22 | 20 | " | " |
| " | 180 | 93 | 22 | 21 | " | " |
| " | 180 | 82 | 21 | 20 | " | " |
| " | head+body 101 | - | 22 | 20 | " | " |
| " | 204 | 100 | 23 | 20 | " | " |
| " | 205 | 105 | 22 | 22 | " | " |
| " | 201 | 98 | 23 | 20 | " | skin + skeleton |
| " | head+body 94 | - | 22 | 21 | " | skin + skull |
| " | 201 | 100 | 22 | 21 | " | " |
| 24 Apr. 1947 | 163 | 92 | 18 | 15 | dry sandy area of cactus, thorn, + grass | " |
| " | 159 | 94 | 18 | 16 | " | " |
| " | 160 | 90 | 19 | 15 | " | skin + skeleton |
| " | 150 | 84 | 18 | 15 | " | skin + skull |
| " | 159 | 90 | 18 | 15 | " | " |
| " | 210 | 97 | 28 | 19 | " | " |
| " | 128 | 51 | 16 | 13 | " | " |
| " | 126 | 50 | 15 | 13 | " | skin + skeleton |

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | EAR | REMARKS | Preparation |
|--------|-----|---|---|-------------|--------------------|-----------------|-----------|-----|---|-----------------|
| 275597 | ♀ | Baiomys musculus | Quiche' 4300 ft. Sacapulus (6.9 mi. W. - Rio Blanco) | 24 Apr 1947 | 118 | 50 | 15 | 12 | dry sandy area with cactus, thorn + grass | skin + skull |
| 275598 | ♀ | " | " | " | 115 | 48 | 15 | 12 | " | " |
| 275599 | ♂ | " | " | " | 117 | 47 | 15 | 12 | " | " |
| 275600 | ♀ | " | " | " | 117 | 50 | 16 | 12 | " | " |
| 275601 | ♂ | " | " | " | 127 | 53 | 15 | 12 | " | " |
| 275602 | ♀ | " | " | " | 123 | 54 | 15 | 13 | " | " |
| 275603 | ♂ | " | " | " | 117 | 49 | 15 | 12 | " | " |
| 275604 | ♀ | " | " | " | 123 | 49 | 16 | 12 | " | " |
| 275605 | ♂ | " | " | " | 115 | 49 | 15 | 13 | " | " |
| 275606 | ♂ | " | " | " | 116 | 50 | 15 | 13 | " | " |
| 275428 | ♀ | Reithrodontomys ^{s. dorsalis} australis | Quiche' 8200 ft. Nebaj (10 mi. SE. - Chul) | 25 Apr 1947 | 164 | 85 | 18 | 17 | damp to moderately dry deciduous forest | " |
| 275429 | ♂ | " " | " | " | 166 | 90 | 19 | 17 | " | " |
| 275430 | ♀ | " " | " | " | 172 | 97 | 19 | 16 | " | " |
| 275431 | ♂ | " " | " | " | 164 | 94 | 19 | 16 | " | " |
| 275432 | ♀ | " " | " | " | 174 | 96 | 18 | 17 | " | " |
| 275433 | ♀ | " " | " | " | 158 | 78 | 19 | 16 | " | " |
| 275434 | ♀ | " " | " | " | 176 | 95 | 19 | 17 | " | " |
| 275435 | ♂ | " " | " | " | 155 | 91 | 17 | 16 | " | " |
| 275529 | ♂ | Reithrodontomys ^{guatemalensis} australis | " | " | 289 head + body | 146 | 32 | 24 | thick, damp deciduous forest | skin + skeleton |
| 275530 | ♂ | " | " | " | 130 | - | 32 | 25 | " | skin + skull |
| 275531 | ♂ | " | " | " | 278 | 147 | 32 | 25 | " | " |
| 275532 | ♀ | " | " | " | 280 | 150 | 31 | 24 | " | " |
| 275533 | ♂ | " | " | " | 279 | 145 | 30 | 26 | " | " |
| 275534 | ♀ | " | " | " | 257 | 129 | 31 | 25 | " | " |
| 275534 | ♀ | " | " | " | 275 | 139 | 31 | 25 | " | " |

| NO. | SEX | NAME | LOCALITY |
|------------------|-----|------------------------------------|---------------------------|
| 275535 | ♀ | <i>Peromyscus boylii</i> | Quiche' 8200 ft. |
| 275536 | ♀ | mexicanus | Nebaj (10 mi. SE. - Chul) |
| 1011 | ♂ | <i>Onychomys alfaroi</i> (?) | " |
| 275215 | ♂ | <i>Sciurus griseoflavus</i> | " |
| 275216 | ♀ | " | " |
| 275537 | ♀ | <i>Peromyscus mexicanus</i> | " |
| 275538 | ♀ | " | " |
| 275539 | ♂ | " | " |
| 275540 | ♂ | " | " |
| 1018 | ♂ | " | " |
| 275542 | ♂ | <i>Peromyscus boylii</i> | " |
| 275543 | ♂ | " | " |
| 275544 | ♂ | <i>Peromyscus guatemalensis</i> | " |
| 275545 | ♂ | " | " |
| 275436 | ♀ | <i>Reithrodontomys s. dorsalis</i> | " |
| 275437 | ♀ | australis | " |
| 275438 | ♀ | " " " | " |
| 275439 | ♂ | " " " | " |
| 275440 | ♂ | " " " | " |
| 275441 | ♂ | " " " | " |
| 275442 | ♂ | " " " | " |
| 275667 | ♂ | <i>Mephitis mephitis</i> | " |
| 275217 | ♂ | <i>Sciurus griseoflavus</i> | " |
| 1032 | ♂ | <i>Onychomys couesi</i> | Quiche' 6400 ft. |
| 1033 | ♀ | <i>Onychomys alfaroi</i> | Chajul (6.2 mi. SW) |
| no number 1034 ! | | | " |

| DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | EAR | REMARKS | preparation |
|-------------|--------------|-----------------|-----------|-----|---|-----------------|
| 25 Apr 1947 | 222 | 110 | 24 | 22 | damp to moderately dry, deciduous forest | skin + skull |
| " | head+body 95 | - | 22 | 21 | " | " |
| " | 253 | 136 | 28 | 19 | damp deciduous forest with mossy logs | skin + skull |
| " | 500 | 246 | 65 | 34 | dry deciduous forest | skin + skull |
| " | - | - | - | - | dry pine forest | " |
| 26 Apr 1947 | 202 | 96 | 24 | 21 | dry to damp deciduous forest | " |
| " | 206 | 104 | 23 | 20 | " | " |
| " | 205 | 105 | 24 | 20 | " | " |
| " | 224 | 110 | 25 | 21 | " | " |
| " | 227 | 115 | 25 | 21 | " | " |
| " | 194 | 95 | 22 | 19 | " | " |
| " | 194 | 95 | 21 | 20 | " | " |
| " | 265 | 133 | 30 | 24 | " | " |
| " | 256 | 129 | 31 | 24 | " | " |
| " | 180 | 104 | 20 | 16 | " | " |
| " | 160 | 86 | 19 | 17 | " | " |
| " | 161 | 87 | 18 | 16 | " | " |
| " | 170 | 97 | 19 | 17 | " | " |
| " | 172 | 91 | 18 | 17 | " | " |
| " | 178 | 95 | 20 | 18 | " | " |
| " | 135 | 76 | 18 | 14 | " | " |
| " | 585 | 305 | 60 | 30 | " | " |
| " | 487 | 243 | 68 | 32 | " | " |
| 28 Apr 1947 | 230 | 124 | 30 | 16 | moist bog with sedge, rushes, Royal fern | skin + skeleton |
| " | 246 | 130 | 27 | 19 | cold moist NE slope, lush vegetation, moss 2cm 6 10mm | " |

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | preparation |
|--------|--------|--|---|-------------|--------------|-----------------|-----------|-----|--|-----------------|
| 275246 | X 1035 | ♀ <i>Heteromys desmarestianus</i> | Quiche' 6400 ft. Chajul (6.2 mi. SW) | 28 Apr 1947 | 304 | 174 | 36 | 19 | cold, moist NE slope, with lush vegetation, moss | skin & skull |
| 275247 | X 1036 | ♀ " | " | " | 259 | 139 | 35 | 17 | " | " |
| 275248 | X 1037 | ♀ " | " | " | 290 | 162 | 36 | 17 | " | skin & skeleton |
| 275249 | X 1038 | ♂ " | " | " | 294 | 159 | 37 | 19 | " | skin & skull |
| 275443 | X 1039 | ♂ <i>Reithrodontomys mexicanus</i> <i>microdon</i> howelli | " | " | 176 | 100 | 19 | 15 | " | " |
| 275444 | X 1040 | ♂ <i>Reithrodontomys mexicanus</i> howelli | " | " | 165 | 96 | 19 | 15 | " | " |
| 275445 | X 1041 | ♀ <i>Reithrodontomys</i> <i>s. dorsalis</i> <i>australis</i> | " | " | 156 | 88 | 19 | 16 | " | " |
| 275446 | X 1042 | ♀ " " " | " | " | 161 | 90 | 18 | 16 | " | " |
| 275447 | X 1043 | ♂ " " " | " | " | 150 | 84 | 19 | 16 | " | " |
| 275448 | X 1044 | ♂ " " " | " | " | 158 | 85 | 18 | 16 | " | " |
| 275449 | X 1045 | ♂ " " " | " | " | 149 | 84 | 18 | 16 | " | " |
| 275450 | X 1046 | ♂ " " " | " | " | 153 | 83 | 19 | 15 | " | " |
| 275607 | X 1047 | ♂ <i>Scotinomys teguina</i> | Quiche' 4600 ft. Cotzal (7.1 mi. E - Rio Cotzal) | 29 Apr 1947 | 129 | 53 | 18 | 15 | damp deciduous second growth | skin & skeleton |
| 275451 | X 1048 | ♀ <i>Reithrodontomys</i> <i>s. dorsalis</i> <i>australis</i> | " | " | 159 | 84 | 18 | 15 | dry deciduous second growth | skin & skull |
| 275452 | X 1049 | ♀ " " " | " | " | 164 | 90 | 19 | 17 | " | " |
| 275453 | X 1050 | ♂ " " " | " | " | 160 | 86 | 18 | 16 | " | " |
| 275454 | X 1051 | ♀ " " " | " | " | 175 | 96 | 20 | 16 | " | " |
| 275455 | X 1052 | ♂ " " " | " | " | 167 | 91 | 19 | 17 | " | " |
| 275456 | X 1053 | ♂ " " " | " | " | 166 | 90 | 19 | 15 | " | " |
| 275398 | X 1054 | ♂ <i>Sigmodon</i> <i>couesi</i> | " | " | 207 | 112 | 26 | 17 | along brook in dry deciduous second growth | " |
| 275399 | X 1055 | ♀ " | " | " | 210 | 107 | 28 | 16 | dry deciduous second growth | " |
| 275546 | 1056 | ♂ <i>Peromyscus boylii</i> | " | " | 213 | 105 | 26 | 19 | " | " |
| 275547 | 1057 | ♀ <i>Peromyscus</i> <i>guatemalensis</i> | " | " | 281 | 150 | 32 | 26 | " | " |
| 275548 | 1058 | ♂ " " | " | " | 255 | 141 | 30 | 25 | " | " |
| 275549 | X 1059 | ♂ " " | " | " | 281 | 144 | 32 | 26 | " | " |

| | NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | preparation |
|--------|-------|-----|---|---|-------------|--------------|-----------------|-----------|-----|---|-----------------|
| | ✓1060 | ♀ | Peromyscus guatemalensis | Quiché 4600 ft. Cotzal (7.1 mi. E; Rio Cotzal) | 29 Apr 1947 | 300 | 158 | 31 | 25 | dry deciduous second growth | skin + skull |
| 275551 | ✓1061 | ♂ | " | " | " | 265 | 135 | 31 | 23 | " | " |
| 275552 | ✓1062 | ♂ | " | " | " | 285 | 150 | 32 | 25 | " | " |
| 275218 | ✓1063 | ♀ | Sciurus griseo flavus | Quiché 8000 ft. Nebaj (12 mi. SE; Chimal) | " | 502 | 249 | 68 | 35 | dry pine grove | " |
| 275636 | ✓1064 | ♀ | Sigmodon hispidus | " | 30 Apr 1947 | 265 | 120 | 33 | 19 | tall grass in pines at edge of wheat | " |
| 275637 | ✓1065 | ♂ | " | " | " | 263 | 122 | 32 | 21 | " | " |
| 275457 | ✓1066 | ♀ | Reithrodontomys ^{s. dorsalis} australis | " | " | 163 | 90 | 19 | 18 | " | " |
| 275458 | ✓1067 | ♀ | " " " | " | " | 166 | 94 | 19 | 17 | " | " |
| 275459 | ✓1068 | ♀ | " " " | " | " | 162 | 89 | 19 | 17 | " | " |
| 275460 | ✓1069 | ♀ | " " " | " | " | 150 | 84 | 19 | 18 | " | " |
| 275219 | ✓1070 | ♀ | Sciurus griseo flavus | Quiché 6400 ft. Sacapulus (5 mi. E) | " | 544 | 266 | 69 | 35 | arid mountain side - scattered pine + oak | skin + skull |
| 275461 | ✓1071 | ♂ | Reithrodontomys ^{s. dorsalis} australis | Huehuetenango Chamal (2 mi. S) 11,000 ft. | 1 May 1947 | 165 | 89 | 19 | 16 | moss covered boulders in burned over pine forest | " |
| 275462 | ✓1072 | ♀ | " " " | " | " | 158 | 83 | 19 | 17 | " | " |
| 275463 | ✓1073 | ♀ | " " " | " | " | 159 | 86 | 19 | 16 | " | " |
| 275553 | ✓1074 | ♀ | Peromyscus boylii | " | " | 199 | 99 | 23 | 19 | " | " |
| 275554 | ✓1075 | ♀ | " | " | " | 199 | 101 | 23 | 20 | " | " |
| 275555 | ✓1076 | ♂ | " | " | " | 208 | 109 | 24 | 21 | " | " |
| 275556 | ✓1077 | ♂ | " | " | " | 204 | 105 | 23 | 20 | " | " |
| 275557 | ✓1078 | ♂ | " | " | " | 204 | 101 | 23 | 21 | " | " |
| 275638 | ✓1079 | ♂ | Neotoma solitaria | " | " | 359 | 179 | 38 | 28 | " | " |
| | ✓1080 | ♂ | " | " | " | 356 | 167 | 38 | 30 | " | skin + skeleton |
| 275679 | ✓1081 | ♀ | Sorex verzeppaci | Huehuetenango 10,500 ft. Chamal (5 mi. N) | 2 May 1947 | 115 | 45 | 14 | 10 | moist pine forest on cold north slope; in thick ground cover of perennial woody herbs | " |
| 275680 | ✓1082 | ♀ | " | " | " | 127 | 51 | 15 | 10 | " | " |
| 275558 | ✓1083 | ♀ | Peromyscus boylii | " | " | 215 | 110 | 24 | 21 | " | skin + skull |
| 275464 | ✓1084 | ♂ | Reithrodontomys ^{microdon} microdon | " | " | 181 | 109 | 19 | 17 | " | skin + skeleton |

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | preparation |
|---------|--------|------|---|------------|--------------|-----------------|-----------|-----|---|-----------------|
| 275 465 | ✓ 1085 | ♀ | <i>Reithrodontomys</i> ^{<i>S. dorsalis</i>} <i>australis</i> Huchuetenango 10500 ft. Chimal (5 mi. N) | 2 May 1947 | 154 | 84 | 19 | 17 | moist pine forest on cold north slope; in thick ground cover of perennial woody herbs | skin + skull |
| 275 466 | ✓ 1086 | ♂ | " " " | " | 167 | 91 | 20 | 15 | " | " |
| 275 467 | ✓ 1087 | ♂ | " " " | " | 154 | 81 | 19 | 17 | " | " |
| 275 468 | ✓ 1088 | ♂ | " " " | " | 163 | 88 | 19 | 17 | " | skin + skeleton |
| 275 469 | ✓ 1089 | ♂ | " " " | " | 164 | 95 | 20 | 17 | " | skin + skull |
| 275 640 | ✓ 1090 | ♂ | <i>Microtus guatemalensis</i> | " | 138 | 28 | 20 | 16 | " | " |
| 275 641 | ✓ 1091 | ♂ | " | " | 141 | 35 | 21 | 17 | " | " |
| 275 642 | ✓ 1092 | ♂ | " | " | 145 | 36 | 20 | 16 | " | " |
| 275 643 | ✓ 1093 | ♂ | " | " | 141 | 34 | 20 | 18 | " | " |
| 275 644 | ✓ 1094 | ♂ | " | " | 153 | 40 | 19 | 17 | " | " |
| 275 645 | ✓ 1095 | ♂ | " | " | 149 | 34 | 20 | 17 | " | " |
| 275 646 | ✓ 1096 | ♂ | " | " | 147 | 37 | 20 | 16 | " | " |
| 275 647 | ✓ 1097 | ♂ | " | " | 145 | 40 | 20 | 16 | " | " |
| 275 648 | ✓ 1098 | ♀ | " | " | 140 | 36 | 20 | 16 | " | " |
| 275 649 | ✓ 1099 | ♀ | " | " | 143 | 36 | 20 | 17 | " | " |
| 275 650 | ✓ 1100 | ♀ | " | " | 138 | 33 | 19 | 15 | " | " |
| 275 651 | ✓ 1101 | ♀ | " | " | 141 | 33 | 21 | 17 | " | " |
| 275 652 | ✓ 1102 | ♀ | " | " | 130 | 30 | 20 | 16 | " | " |
| 275 653 | ✓ 1103 | ♀ | " | " | 137 | 30 | 19 | 16 | " | 1 emb 30 mm |
| 275 654 | ✓ 1104 | ♀ | " | " | 148 | 37 | 20 | 17 | " | 1 emb 27 mm |
| 275 655 | ✓ 1105 | ♀ | " | " | 140 | 35 | 20 | 16 | " | skin + skeleton |
| 275 656 | ✓ 1106 | ♀ | " | " | 131 | 33 | 20 | 15 | " | skin + skull |
| 275 347 | ✓ 1107 | ♀ | <i>Uromys heterothrix</i> Zecapa 700 ft. Tnujillo (1 mi. E of Progreso boundary) north bank of Rio Motagua | 7 May 1947 | 220 | 118 | 25 | 14 | arid cactus + scrub oak | " |
| 275 348 | ✓ 1108 | ♂ | " | " | 248 | 130 | 27 | 15 | " | skin + skeleton |
| 275 349 | ✓ 1109 | ♀ | " | " | 179 | 94 | 26 | 13 | " | skin + skull |
| 275 350 | ✓ 1110 | ♂ | <i>Sylvilagus floridanus</i> | " | 417 | 54 | 93 | 70 | arid thorny pasture | " |

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | EAR | REMARKS | Preparation |
|--------|--------|-------------------------------|---|-------------|--------------|-----------------|-----------|-----|--|-----------------|
| 275559 | 1111 | - Peromyscus ? | Zacapa 700 ft. Toujillo (1 mi. E of Progreso boundary) | 7 May 47 | - | - | - | - | arid cactus + oak scrub | skeleton only |
| 275350 | ✓ 1112 | ♂ Akomys heterothrix | Zacapa 700 ft. Cabañas (3.2 mi. E - Rio Ute) | 8 May 1947 | 231 | 120 | 27 | - | thorn brush fence bordering pasture - arid | skin + skull |
| 275351 | ✓ 1113 | ♀ " pictus | " | " | 230 | 124 | 27 | 15 | " | " |
| 275352 | ✓ 1114 | ♀ " s. dorsalis | " | " | 216 | 118 | 27 | 15 | " | " |
| 275353 | ✓ 1115 | ♂ " " | " | " | 205 | 110 | 28 | - | " | " |
| 275354 | ✓ 1116 | ♂ " " | " | " | 210 | 115 | 27 | 14 | " | " |
| 275355 | ✓ 1117 | ♀ " " | " | " | 212 | 112 | 27 | 15 | " 2 emb 10 mm | " |
| 275356 | ✓ 1118 | ♀ " " | " | " | 216 | 114 | 28 | 14 | " | " |
| 275357 | ✓ 1119 | ♂ " pictus | " | " | 220 | 115 | 27 | 15 | " | " |
| 275358 | ✓ 1120 | ♀ " s. dorsalis | " | " | 210 | 115 | 28 | 15 | " | " |
| 275359 | ✓ 1121 | ♂ " " | " | " | 233 | 125 | 28 | 16 | " | " |
| 275360 | ✓ 1122 | ♀ " " | Progreso 1870 ft. Progreso (6.8 mi. SW - Finca Cr.) | 9 May 1947 | 228 | 123 | 26 | 14 | dry deciduous forest | " |
| 275361 | ✓ 1123 | ♂ " " | " | " | 239 | 131 | 29 | 15 | " | " |
| 275362 | ✓ 1124 | ♀ " " | " | " | 194 | 105 | 26 | 14 | " | " |
| 275400 | ✓ 1125 | ♂ Onychomys couesi | " | " | 233 | 120 | 30 | 17 | moist border of sugar cane field | " |
| 275401 | ✓ 1126 | ♀ " " | " | " | 268 | 135 | 30 | 17 | " | " |
| 275470 | ✓ 1127 | ♂ Reithrodontomys fulvescens | Chiapensis, Baja Vera Paz 5400 ft. Salama (7.1 mi. N) | 15 May 1947 | 160 | 95 | 19 | 15 | dry pasture with scattered weed patches + scrub oaks | skin & skeleton |
| 275471 | ✓ 1128 | ♀ " " " | " | " | 152 | 91 | 18 | 14 | " | skin & skull |
| 275472 | ✓ 1129 | ♂ Reithrodontomys s. dorsalis | " | " | 167 | 95 | 19 | - | " | " |
| 275473 | ✓ 1130 | ♂ " " " | " | " | 160 | 89 | 19 | 16 | " | skin & skull |
| 275474 | ✓ 1131 | ♀ " " " | " | " | 154 | 89 | 19 | 15 | " | " |
| 275560 | ✓ 1132 | ♀ Peromyscus boylii | " | " | 181 | 92 | 22 | 20 | dry scrub oak thickets | skin & skull |
| 275561 | ✓ 1133 | ♀ " " | " | " | 183 | 97 | 22 | 20 | " | skin & skull |
| 275562 | ✓ 1134 | ♀ " " | " | " | 188 | 91 | 21 | 19 | " | " " " |
| 275563 | ✓ 1135 | ♀ " " | " | " | 184 | 92 | 23 | 20 | " | skin & skull |

| NO. | SEX | NAME | LOCALITY | DATE | TOTAL LENGTH | TAIL VERTE-BRAE | HIND FOOT | ear | REMARKS | P.P. |
|--------|-----|------------------------------|--|-------------|--------------------|-----------------|-----------|-----|---|-----------------|
| 275564 | ♂ | Peromyscus boylii | Baja Vera Paz 5400 ft. Salama (7.1 mi. N) | 15 May 1947 | 181 | 23 | 22 | 20 | dry scrub oak thickets | skin & skull |
| 1137 | ♂ | " | " | " | 178 | 90 | 22 | 19 | " | skin & skeleton |
| 275566 | ♂ | " | " | " | 179 | 88 | 21 | 19 | " | " " skull |
| 275226 | ♀ | Sciurus leopli | Alta Vera Paz 50 ft. Cahaboneillo Panzós (8.4 mi. E. - Rio Cahabon) | 17 May 1947 | 392 | 170 | 53 | 26 | extremely dense tropical rain forest | " " " |
| 275227 | ♂ | " | " | 18 May 1947 | 368 | 170 | 52 | 25 | " | " " " |
| 275228 | ♀ | " | " | " | 392 | 184 | 57 | 25 | " | " " " |
| 275229 | ♂ | " | " | " | 380 | 177 | 54 | 25 | " | " " " |
| 275230 | ♂ | " | " | " | head & body 203 | — | 52 | 24 | " | " " " |
| 275608 | ♀ | Scotinomys teguina | Alta Vera Paz 3500 ft. Tamahú (1.8 mi. W) | 19 May 1947 | 134 | 55 | 19 | 14 | moist scrubby hillside | " " " |
| 275609 | ♂ | " | " | " | 134 | 58 | 18 | — | " | " " " |
| 1146 | ♂ | Peromyscus guatemalensis | " | " | 241 | 125 | 25 | 21 | " | skin & skeleton |
| 275568 | ♂ | " | " | " | 249 | 132 | 26 | 22 | " | " " skull |
| 275681 | ♂ | Cryptotis goodwini | Jalapa 8400 ft. Mataquescuintla (7.2 mi. E) | 22 May 1947 | 113 | 27 | 14 | — | very damp, very thick, deciduous cloud forest | skin & skeleton |
| 275475 | ♀ | Reithrodontomys tenuirostris | " | " | 222 | 129 | 22 | 20 | " | " " |
| 275402 | ♂ | Oryzomys couesi | " | " | 215 | 114 | 24 | 19 | " | " & skull |
| 1151 | ♀ | " | " | " | 239 | 129 | 27 | 19 | " | skin & skeleton |
| 275657 | ♂ | Microtus guatemalensis | " | " | 141 | 34 | 20 | 16 | " | skin & skeleton |
| 275658 | ♂ | " | " | " | 146 | 35 | 20 | 17 | " | " & skull |
| 1154 | ♂ | Peromyscus guatemalensis | " | " | 257 | 139 | 27 | 25 | " | " & skeleton |
| 275570 | ♂ | " | " | " | 245 | 128 | 28 | 24 | " | " " skull |
| 275250 | ♂ | Heteromys | " | " | 310 | 180 | 38 | 21 | " | skin & skeleton |
| 275251 | ♀ | " | Guatemala 6400 ft. San Jose Pinula (6.2 mi. E) | 23 May 1947 | 230 | 120 | 34 | 18 | dry deciduous woods | skin & skull |
| 275571 | ♀ | Peromyscus guatemalensis | " | " | 263 | 141 | 28 | 24 | " | " " |